



CERTIFICATE OF TRANSLATION

I, TAKESHI KOMATANI, patent attorney of Fifteenth Floor, Crystal Tower, 1-2-27 Shiromi, Chuo-ku, Osaka 540-6015, Japan HEREBY CERTIFY that I am acquainted with the English and Japanese languages and that the attached English translation is a true English translation of what it purports to be, a translation of Japanese Patent Application No. 2000-149106 filed on 19 May, 2000 in the name of JAPAN AS REPRESENTED BY DIRECTOR GENERAL OF MINISTRY OF AGRICULTURE, FORESTRY AND FISHERIES NATIONAL INSTITUTE OF AGROBIOLOGICAL RESOURCES and BIO-ORIENTED TECHNOLOGY RESEARCH ADVANCEMENT INSTITUTION.

Additionally, I verify under penalty of perjury under the laws of the United States of America that the foregoing is true and correct.

Executed this 25th day of November, 2002.

A handwritten signature in cursive script, reading "Takeshi Komatani".

TAKESHI KOMATANI

(Translation)

[Name of the Document]	Application for Patent
[Reference No.]	J100412243
[Note]	Exception to Loss of Novelty (Under Sec. 30(1))
[Filing Date]	May 19, 2000
[Addressee]	To the Commissioner of the Patent Office
[IPC]	C12N 15/29
[Inventor]	
[Address]	c/o Ministry of Agriculture, Forestry and Fisheries National Institute of Agrobiological Resources 2-1-2, Kannondai, Tsukuba-shi, Ibaraki
[Name]	Hirohiko HIROCHIKA
[Inventor]	
[Address]	c/o Ministry of Agriculture, Forestry and Fisheries National Institute of Agrobiological Resources 2-1-2, Kannondai, Tsukuba-shi, Ibaraki
[Name]	Muneo YAMAZAKI

[Inventor]

[Address]

c/o Ministry of Agriculture,
Forestry and Fisheries
National Institute of
Agrobiological Resources
2-1-2, Kannondai, Tsukuba-shi,
Ibaraki

[Name]

Akio MIYAO

[Applicant for Patent]

[Right Apportionment]

001/002

[Identification No.]

591127076

[Name]

Naoki KATSURA

DIRECTOR GENERAL OF MINISTRY OF
AGRICULTURE, FORESTRY AND
FISHERIES NATIONAL
INSTITUTE OF AGROBIOLOGICAL
RESOURCES

[Applicant for Patent]

[Right Apportionment]

001/002

[Identification No.]

000195568

[Name]

BIO-ORIENTED TECHNOLOGY
RESEARCH ADVANCEMENT
INSTITUTION

[Agent]

[Identification No.]

100078282

[Patent Attorney]

[Name]

Shusaku YAMAMOTO

[Official Fee]

[Account No.]

001878

[Amount]

10,500 Yen

[Others]

Portion of entire Rights
not owned by the Government of
Japan 2/1

[List of the Documents]

[Item]

Specification 1

[Item]

Drawings 1

[Item]

Abstract 1

[Proof]

Required

(Translation)

[Name of the Document] SPECIFICATION

[Title of the Invention] A NOVEL GENE INVOLVED IN
BRASSINOSTEROID RESPONSES

[Claims]

[Claim 1] A polynucleotide encoding a plant gene capable of controlling a signal transduction system for brassinosteroid hormone, comprising a polynucleotide encoding an amino acid sequence from Met at position 1 to Arg at position 1057 of SEQ ID NO: 2 in the SEQUENCE LISTING, or a polynucleotide encoding an amino acid sequence in which one or several amino acids are deleted, substituted or added to the amino acid sequence.

[Claim 2] A polynucleotide according to claim 1 derived from rice.

[Claim 3] A polynucleotide according to claim 1 as represented by SEQ ID NO: 2 in the SEQUENCE LISTING.

[Detailed Description of the Invention]

[0001]

[Field of the Invention]

The present invention relates to a novel gene. In particular, the present invention relates to a novel gene which encodes a protein having the function of controlling an in-vivo signal transduction system in a physiological reaction system against brassinosteroid hormone in plants.

[0002]

[Prior Art]

Transposons are mutagenic genes which are known to be ubiquitous in animal, yeast, bacterial, and plant genomes. Transposons are classified into two classes depending on their transposition mechanisms. Transposons belonging to Class II are transposed in the form of DNAs without being replicated. Known Class II transposons include the Ac/Ds, Spm/dSpm and Mu elements of *Zea mays* (Fedoroff, 1989, *Cell* 56, 181-191; Fedoroff et al., 1983, *Cell* 35, 235-242; Schiefelbein et al., 1985, *Proc. Natl. Acad. Sci. USA* 82, 4783-4787), and the Tam element of *Antirrhinum majus* (Bonas et al., 1984, *EMBO J.*, 3, 1015-1019). Class II transposons are widely used for gene isolation techniques which utilize transposon tagging. Such techniques utilize the fact that a transposon induces physiological and morphological mutations when inserted into a certain gene. The affected gene can be isolated by detecting such a change (Bancroft et al., 1993, *The Plant Cell*, 5, 631-638; Colasanti et al., 1998, *Cell*, 93, 593-603; Gray et al., 1997, *Cell*, 89, 25-31; Keddie et al., 1998, *The Plant Cell*, 10, 877-887; Whitham et al., 1994, *Cell*, 78, 1101-1115).

[0003]

Transposons belonging to Class I, also referred to as retrotransposons, are replicated and transposed via RNA intermediates. Class I transposons were first identified and characterized in *Drosophila* and in yeasts. However, recent studies have revealed that Class I transposons are ubiquitous in plant genomes and account for a substantial portion of the genomes

(Bennetzen, 1996, Trends Microbiolo., 4, 347-353; Voytas, 1996, Science, 274, 737-738). A large majority of retrotransposons appear to be an integratable but non-transposable unit. Recent studies indicate that some of these retrotransposons are activated under stress conditions such as injuries, pathogenic attacks, or cell culture (Grandbastien, 1998, Trends in Plant Science, 3, 181-187; Wessler, 1996, Curr. Biol. 6, 959-961; Wessler et al., 1995, Curr. Opin. Genet. Devel. 5, 814-821). Activation under stress conditions has been reported for Tnt1A and Ttol in tobacco (Pouteau et al., 1994, Plant J., 5, 535-542; Takeda et al., 1988, Plant Mol. Biol., 36, 365-376), and Tos17 in rice (Hirochika et al., 1996, Proc. Natl. Acad. Sci. USA, 93, 7783-7788), for example.

[0004]

The Tos17 retrotransposon of rice is one of the most-extensively studied plant Class I elements in plants. Tos17 was cloned by an RT-PCR method using a degenerate primer prepared based on a conservative amino acid sequence in reverse transcription enzyme domains between Ty1-copia retroelements (Hirochika et al., 1992, Mol. Gen. Genet., 233, 209-216). Tos17 is 4.3kb long, and has two 138bp LTRs (long chain terminal repetitions) and PBS (primer binding sites) complementary to the 3' end of the start methionine tRNA (Hirochika et al., 1996, supra). Tos17 transcription is strongly activated through tissue culture, and its copy number increases with culture time. In Nipponbare, a model Japonica cultivar used for genome analysis, two copies of Tos17 are initially present, which are increased to 5 to 30 copies in a

regenerated plant after tissue culture (Hirochika et al., 1996, supra). Unlike Class II transposons which were characterized in yeasts and *Drosophila*, Tos17 is transposed in chromosomes in random manners and causes stable mutation, and therefore provides a powerful tool for functional analysis of rice genes (Hirochika, 1997, Plant Mol. Biol. 35, 231-240; 1999, Molecular Biology of Rice (ed. by K. Shimamoto, Springer-Verlag, 43-58).

[0005]

[Problems to be Solved by the Invention]

The present invention makes possible the advantage of providing a novel plant gene which can be provided by using Tos17.

[0006]

The inventors diligently conducted systematic analyses of phenotypes of plants having a newly transposed Tos17 copy and sequences adjoining Tos17 target sites with respect to rice. As a result, the inventors found a dwarf rice mutation obtained from Tos17 insertion, and isolated the gene responsible for this mutation by utilizing Tos17 as a tag, thereby accomplishing the present invention.

[0007]

[Means for Solving the Problems]

The present invention relates to a polynucleotide encoding a plant gene capable of controlling a signal transduction system for brassinosteroid hormone, comprising a polynucleotide encoding an amino acid sequence from Met at position 1 to Arg at position 1057 of SEQ ID NO: 2 in the SEQUENCE LISTING, or a

polynucleotide encoding an amino acid sequence in which one or several amino acids are deleted, substituted or added to the amino acid sequence.

[0008]

Preferably, the polynucleotide may be derived from rice.

[0009]

Preferably, the polynucleotide may be as represented by SEQ ID NO: 2 in the SEQUENCE LISTING.

[0010]

The present invention further relates to methods for controlling various effects in plants in which brassinosteroid hormone is involved, e.g., growth promotion, yield increase, quality improvement, maturation enhancement, and drug resistance.

[0011]

[Embodiments of the Invention]

The present invention provides a method for improving plant, comprising a novel plant gene which can be provided by using Tos17.

[0012]

According to the present invention, there is provided a polynucleotide encoding a plant gene capable of controlling various effects in which brassinosteroid hormone is involved. As used herein, the term "capable of controlling various effects" means the ability to control various effects in plants in which brassinosteroid hormone is involved, e.g., growth

promotion, yield increase, quality improvement, maturation enhancement, and drug resistance, including dwarfism, upright form, and malformation of grain hulls, thereby providing a number of agriculturally useful effects as are attained by treatments with brassinosteroid hormone agricultural chemicals. The term "plants" encompasses both monocotyledons and dicotyledons.

[0013]

A polynucleotide encoding a plant gene capable of controlling a signal transduction system for brassinosteroid hormone according to the present invention is, representatively, a polynucleotide comprising a polynucleotide encoding an amino acid sequence from Met at position 1 to Arg at position 1057 of SEQ ID NO: 2 in the SEQUENCE LISTING, or a polynucleotide encoding an amino acid sequence in which one or several amino acids are deleted, substituted or added to the aforementioned amino acid sequence.

[0014]

A polynucleotide encoding a plant gene capable of controlling various effects in which brassinosteroid hormone is involved encompasses any polynucleotides which have at least about 80% sequence homology, preferably at least about 85% sequence homology, and more preferably at least about 90% sequence homology, still more preferably at least about 95% sequence homology, and most preferably at least about 99% sequence homology, with an amino acid sequence from Met at position 1 to Arg at position 1057 of SEQ ID NO: 2 in the SEQUENCE LISTING, so long as they are capable of

controlling various effects in plants in which brassinosteroid hormone is involved. The term "sequence homology" indicates a degree of identity between two polynucleotide sequences to be compared with each other. The rate (%) of sequence homology between two polynucleotide sequences for comparison is calculated by, after optimally aligning the two polynucleotide sequences for comparison, obtaining a matched position number indicating the number of positions at which identical nucleic acid bases (e.g., A, T, C, G, U, or I) are present in both sequences, dividing the matched position number by total number of bases in the polynucleotide sequences for comparison, and multiplying the quotient by 100. The sequence homology can be calculated by using the following sequencing tools, for example: a Unix base program designated GCG Wisconsin Package (Program Manual for the Wisconsin Package, Version 8, September 1994, Genetics Computer Group, 575 Science Drive Madison, Wisconsin, USA 53711; Rice, P. (1996) Program Manual for EGCG Package, Peter Rice, The Sanger Centre, Hinxton Hall, Cambridge, CB10 1RQ, England), and the ExpASY World Wide Web molecular biology server (Geneva University Hospital and University of Geneva, Geneva, Switzerland).

[0015]

Cells into which genes have been introduced are first selected based on drug resistance, e.g., hygromycin resistance, and then regenerated into plant bodies by using usual methods.

[0016]

The terminology used below herein and laboratory

procedures described below herein are directed to those which are well-known and commonly employed in the art. Standard techniques may be used for recombination methods, polynucleotide synthesis, microorganisms culturing, and transformation (e.g., electroporation). Such techniques and procedures are generally known from various standard textbooks available in the field or by way of the present specification (including a generally-referenced textbook by Sambrook et al., Molecular Cloning: A Laboratory Manual, 2nd edition (1989) Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y.). Such literature is incorporated herein by reference.

[0017]

The polynucleotide according to the present invention can be obtained representatively by using the method described herein. However, the polynucleotide according to the present invention may also be obtained by any chemical synthesis process based on the sequence disclosed herein. For example, the polynucleotide according to the present invention may be synthesized by using a polynucleotide synthesizer available from Applied Bio Systems in accordance with the instructions provided by the manufacturer.

[0018]

Methods of PCR amplification are well-known in the art (PCR Technology: Principles and Applications for DNA Amplification, ed. HA Erlich, Freeman Press, NewYork, NY (1992); PCR Protocols: A Guide to Methods and Applications, Innis, Gelfland, Snisky, and White, Academic Press, San Diego, CA(1990); Mattila et al.

(1991) Nucleic Acids Res. 19: 4967; Eckert, K.A. and Kunkel, T. A. (1991) PCR Methods and Applications 1: 17; PCR, McPherson, Quirkes, and Taylor, IRL Press, Oxford). Such literature is incorporated herein by reference.

[0019]

[Examples]

Hereinafter, the present invention will be described by way of examples which are of illustrative but non-limiting nature.

[0020]

(Example 1: Activation of Tos17 via culture)

Using fully ripened seeds of Nipponbare or Akitakomachi, which are varieties of Japonica subspecies, induction of calluses and cell suspension culture were carried out as described earlier (Hirochika et al., 1996, supra). The activation of Tos17 which was used for gene destruction was carried out following the method of Ohtsuki (1990) (rice protoplast culture system, Food and Agricultural Research Development Association). In summary, fully ripened seeds of rice were cultured in an MS medium having 2,4-dichlorophenoxyacetic acid (2,4-D) added thereto (2 mg/ml) (Ohtsuki (1990), supra) (25°C, 1 month), to induce calluses. The resultant calluses were cultured for 5 months in an N6 liquid medium having 2,4-D added thereto (Ohtsuki (1990), supra), and thereafter placed on a redifferentiation medium (Ohtsuki (1990), supra), whereby redifferentiated rice plants were obtained (first generation (R1) plants).

[0021]

(Example 2: Isolation of sequences adjoining Tos17)

Utilizing each of the regenerated R1 rice plants obtained according to Example 1 as a first strain, about 1000 R1 seeds were collected from each strain and grown on a paddy field to obtain second generation (R2) plants, which were subjected to a morphological analysis. As a result of observing the phenotypes of the respective plants in the R2 group, it was observed that about 1/4 of the R2 group of an Akitakomachi strain A0369 exhibit the "dwarfism, upright form, and malformation of grain hulls" phenotype as shown in Figure 1 (Figure 1). In the regenerated group of Akitakomachi, dwarfism, upright form, and malformation of grain hulls were observed for brassinosteroid insensitive mutants (Figure 1A, left, and Figure 1B, left), as compared with the wild type (Figure 1A, right, and Figure 1B, right). The isolation of adjacent sequences of transposed Tos17, which is co-segregating with the phenotypes, was carried out by an IPCR method (Ochman et al., Genetics Nov; 120(3): 621-3(1988) and Triglia et al., Nucleic Acids Res Aug 25; (16): 8186(1988)). The total DNA of A0369 was digested with XbaI, and a ligation process was performed in a large quantity of solution, thereby obtaining self-ligated circular molecules. In the self-ligated circular molecules, the adjacent sequences are flanking the internal sequence of Tos17. As a result, amplification was carried out by usual PCR methods using an outward primer pair (T17TAIL3: GAGAGCATCATCGGTTACATCTTCTC; T17-1950R: TCTAGCAGTCTCAATGATGTGGCG) based on the known sequence of Tos17.

[0022]

(Example 3: Search for alleles)

Using the sequence obtained according to Example 2, lineage in which Tos17 had been inserted at a different site in the same gene was selected by PCR from the regenerated rice group of Nipponbare. As a result, a line (NC6148) which similarly exhibited dwarfism, upright form, and malformation of grain hulls were observed was selected. That is, in the regenerated rice group of Nipponbare, as well, dwarfism, upright form, and malformation of grain hulls were observed for brassinosteroid insensitive mutants (Figure 2A, left, and Figure 2B, left), relative to the wild type (Figure 2A, right, and Figure 2B, right) (Figure 2). It was concluded that these common mutations were results of the same gene having been destroyed.

[0023]

(Example 4: Expression and analysis of the causative gene)

From the group of R2 rice plants (selfed progeny from the A0369 and NC6148 strains) obtained according to Examples 2 and 3, individuals exhibiting mutation were identified from normal individuals. RNA was prepared from both groups of individuals, and the expression specificity was analyzed through Northern analysis. After agarose electrophoresis, the RNA obtained from individuals exhibiting mutation and the RNA obtained from normal individuals were allowed to adsorb to nylon membranes. DNA fragments which were obtained by amplifying via PCR a sequence (positions 5775-6638 of the genomic sequence) on the 5' side and a

sequence (positions 8175-8765 of the genomic sequence) on the 3' side of the Tos17 insertion site in both mutated lines were labeled with ^{32}P -dCTP. By using these as probes, expression specificity was analyzed through Northern analysis (Figure 3). As seen from the Northern analysis autoradiogram shown in Figure 3A, a band (about 4.3 kb) indicated by an arrow was confirmed to be expressed in all observed organs of the wild type. However, in the mutants, transcripts of abnormal sizes were observed due to the insertion of Tos17, indicating that the natural function of the wild type is lost (Figure 3B).

[0024]

(Example 5: Structural analysis of the causative gene)

Using the sequence obtained according to Example 2 as a probe, the corresponding cDNA and genomic clone were obtained from a cDNA library and a genomic library. Their structures are shown in Figures 4, 5. It was found that this gene includes 6 exons and 5 introns, encoding 1057 amino acids, and that Tos17 had been inserted at the 4th and 5th exons. Moreover, motif search results suggested the presence of nuclear localization signal 1 (amino acid residues 329-367 of SEQ ID NO: 2, Robbins & Dingwall consensus sequence; a search result by PSORT program (<http://psort.ims.u-tokyo.ac.jp/>)) and nuclear localization signal 2 (amino acid residues 457-460, 595-600 of SEQ ID NO: 2, 4 amino acid nuclear localization pattern signal; a search result by PSORT program (<http://psort.ims.u-tokyo.ac.jp/>)) as well as the presence of an ATP/GTP binding domain (amino acid

residues 526-533 of SEQ ID NO: 2; a search result by a motif search service on Genomenet (<http://www.genome.ad.jp/>). Thus, the possibility of this gene being involved in signal transduction was suggested (Figure 4).

[0025]

(Example 6: brassinosteroid sensitivity evaluation)

The present gene was deduced to be a factor involved in the signal transduction system for plant hormones, taking note of the facts that the present gene was expressed in all plant bodies and that pleiotropic influences resulted from destroying this gene, as well as the possibility that the gene might be a factor involved in the signal transduction system. Presuming that the signal transduction system is that for brassinosteroid hormone in view of the resultant upright form, the inventors performed a leaf blade bend response test as a brassinosteroid response test, by using brassinolide, which is one kind of brassinosteroid hormone. The second leaf of rice which was allowed to germinate in the dark was cut off, and immersed in a 1 ng/ml of brassinosteroid solution for 48 hours. The wild type individuals having the wild type genes showed bending of the leaf blades and leaf sheath junctions (left-hand side in Figures 5A and 5B), showing response to brassinolide, whereas mutant individuals showed little bending thereof (right-hand side in Figures 5A and 5B), indicating that the destruction of the present gene resulted in the loss of response to brassinosteroid. From the above results, it was revealed that the present gene is a gene involved

in the signal transduction system for brassinosteroid hormone.

[0026]

The above examples are illustrative, and by no means limiting, of various aspects of the present invention and the manners in which the oligonucleotide according to the present invention can be made and utilized.

[0027]

[Effects of the Invention]

Thus, according to the present invention, a novel polynucleotide is provided which is capable of controlling various effects in which brassinosteroid hormone is involved, the polynucleotide being of use in plant breeding. By introducing the present polynucleotide into plants and artificially controlling various effects in which brassinosteroid hormone is involved, it is expected that effects such as growth promotion, yield increase, quality improvement, maturation enhancement, and drug resistance can be controlled, thereby providing a number of agriculturally useful effects as are attained by treatments with brassinosteroid hormone agricultural chemicals.

[0028]

[Sequence Listing]

SEQUENCE LISTING

<110> National Institute of Agrobiological Resources, Ministry of Agriculture, Forestry and Fisheries

Bio-Oriented Technology Research Advancement Institution

<120> A novel gene involved in brassinosteroid responses

<130> J100412243

<140> JP

<141> 2000-05-19

<160> 3

<170> PatentIn Ver. 2.1

<210> 1

<211> 4310

<212> DNA

<213> Oryza sativa

<220>

<221> CDS

<222> (655)..(3828)

<400> 1

ctcttctcca ctccaaatcc ctctttaccc tatteccctc ccccgccagc ttctcttcc 60

cctgcagtac tcgcgccac caccaccgcg ccgccgccgc cggccgcgtt ccgagacca 120

ctcgatcgga atccaccgcg gcgcgcccgc gcgcctgcgt cctcttcctt ccccgaggagc 180

cgaccgacca cggcgaccag tcgatctccc tctcggggcg ccaaccgcgt citagcttca 240

tcgaatccac cgecccaccc cgcctctctt cctctctctc cgacgacgac gactactact 300

agtcttctcc aataagcccc cctcccgctc ccccgccctg aagaagaagc agcagctagc 360

tccggggaga ggtcgacggc gcgcgggta gatcgcgccc cgccccgcct gcgtcgcggc 420

tgtcggagca aacgcaaacc cccaggttg ttctagcgtg tgcagcggct agctgattga 480

ttgtcttctg tgatataatc agagctcgtg ttttgtggtt tgggtttgt ggittgtgct 540

tggattgttg atgtgcta atcgcgcggtt acaagatcac tgcctggatg atattgagtt 600

gtgcctcggc tgtgctagct gtgtgtgat tctctctctg tcgtgggatg cgat atg 657

Met

1

gag att gtt gca gta gat cag gag gga gct cgt gtt gtt ggg acg aac 705

Glu Ile Val Ala Val Asp Gln Glu Gly Ala Arg Val Val Gly Thr Asn

5

10

15

tgt atg ctt gct cgt ggt gga act ggt gct gta gcg cca gtg ttg gag. 753

Cys Met Leu Ala Arg Gly Gly Thr Gly Ala Val Ala Pro Val Leu Glu

20

25

30

ctg aca gcg acg cct cgt cag gat gca gcc gct gaa gct ggt gta gac 801
 Leu Thr Ala Thr Pro Arg Gln Asp Ala Ala Ala Glu Ala Gly Val Asp
 35 40 45

gaa ccg gca caa cac caa tgc gag cat ttc tcc ata aga ggg tat gtt 849
 Glu Pro Ala Gln His Gln Cys Glu His Phe Ser Ile Arg Gly Tyr Val
 50 55 60 65

gct ctt ctt cag aag aag gat cca aaa ttc tgc tct cta tct cgg att 897
 Ala Leu Leu Gln Lys Lys Asp Pro Lys Phe Cys Ser Leu Ser Arg Ile
 70 75 80

ttc cat gac cag aaa aaa tgt gat gaa cac aaa gct agt tca agc cca 945
 Phe His Asp Gln Lys Lys Cys Asp Glu His Lys Ala Ser Ser Ser Pro
 85 90 95

ttt tct gta gca aag ttt cga cga tgg gat tgc tgc aag tgc ttg gat 993
 Phe Ser Val Ala Lys Phe Arg Arg Trp Asp Cys Ser Lys Cys Leu Asp
 100 105 110

aag ttg aaa act tca gat aat gga aca gca cca aga act ctt ccc gca 1041
 Lys Leu Lys Thr Ser Asp Asn Gly Thr Ala Pro Arg Thr Leu Pro Ala
 115 120 125

aag cag aat ggc aca agt gat ggt tgc tcc atc aca ttt gtt cgg agc 1089
 Lys Gln Asn Gly Thr Ser Asp Gly Cys Ser Ile Thr Phe Val Arg Ser
 130 135 140 145

act ttt gtg cct gct agt gtt ggt tcc caa aaa gtg tct cct agc aca 1137

Thr Phe Val Pro Ala Ser Val Gly Ser Gln Lys Val Ser Pro Ser Thr

150

155

160

caa tca tct caa ggg aag aat gct gat aga tca act ctt cca aag agt 1185

Gln Ser Ser Gln Gly Lys Asn Ala Asp Arg Ser Thr Leu Pro Lys Ser

165

170

175

gtg caa gaa ggc aat gac tcc aaa tgc aat gcg cct tct ggc aag aat 1233

Val Gln Glu Gly Asn Asp Ser Lys Cys Asn Ala Pro Ser Gly Lys Asn

180

185

190

gga gct gct gag gcc aat act gat tca cca atg aaa gat ttg caa ggg 1281

Gly Ala Ala Glu Ala Asn Thr Asp Ser Pro Met Lys Asp Leu Gln Gly

195

200

205

cca gcc caa aat tat gat gtg gca gca aat gtc tct gag gac aac act 1329

Pro Ala Gln Asn Tyr Asp Val Ala Ala Asn Val Ser Glu Asp Asn Thr

210

215

220

225

tct gtt gat gtt ggg gct tta cct gaa gtt ccc cag att aca tgg cac 1377

Ser Val Asp Val Gly Ala Leu Pro Glu Val Pro Gln Ile Thr Trp His

230

235

240

ata gaa gta aat ggt gca gat caa cct cca tcc act cca aaa ctt tct 1425

Ile Glu Val Asn Gly Ala Asp Gln Pro Pro Ser Thr Pro Lys Leu Ser

245

250

255

gaa gtg gtc ctc aaa aga aat gaa gat gaa aat gga aaa act gaa gag 1473

Glu Val Val Leu Lys Arg Asn Glu Asp Glu Asn Gly Lys Thr Glu Glu

260	265	270	
act ctt gtt gct gag cag tgc aat ttg acc aaa gat cct aac cca atg			1521
Thr Leu Val Ala Glu Gln Cys Asn Leu Thr Lys Asp Pro Asn Pro Met			
275	280	285	
tct gga aag gaa cgt gat cag gtt gct gag cag tgc aat ttg acc aaa			1569
Ser Gly Lys Glu Arg Asp Gln Val Ala Glu Gln Cys Asn Leu Thr Lys			
290	295	300	305
gat ccg aaa cca gtg tct ggg cag aaa tgt gag cag atc tgc aat gag			1617
Asp Pro Lys Pro Val Ser Gly Gln Lys Cys Glu Gln Ile Cys Asn Glu			
310	315	320	
cca tgt gaa gaa gtt gtt ctc aaa aga agc tcc aaa tct aag agg aag			1665
Pro Cys Glu Glu Val Val Leu Lys Arg Ser Ser Lys Ser Lys Arg Lys			
325	330	335	
acg gat aag aag ttg atg aag aag cag cag cac agc aag aaa cgc act			1713
Thr Asp Lys Lys Leu Met Lys Lys Gln Gln His Ser Lys Lys Arg Thr			
340	345	350	
gcc cag gct gat gtt tca gat gca aag ctt tgt cgg aga aag cca aaa			1761
Ala Gln Ala Asp Val Ser Asp Ala Lys Leu Cys Arg Arg Lys Pro Lys			
355	360	365	
aag gtg cgg ctt cta tca gaa att ata aat gct aac cag gtt gag gat			1809
Lys Val Arg Leu Leu Ser Glu Ile Ile Asn Ala Asn Gln Val Glu Asp			
370	375	380	385

tct aga agt gac gaa gtt cat cgt gaa aat gcc gct gat ccc tgt gag 1857
 Ser Arg Ser Asp Glu Val His Arg Glu Asn Ala Ala Asp Pro Cys Glu
 390 395 400

gat gat aga agt acc atc ccg gtc ccg atg gaa gta agc atg gat att 1905
 Asp Asp Arg Ser Thr Ile Pro Val Pro Met Glu Val Ser Met Asp Ile
 405 410 415

cct gtt agc aac cat aca gtg gga gaa gat ggg tta aaa tca agt aag 1953
 Pro Val Ser Asn His Thr Val Gly Glu Asp Gly Leu Lys Ser Ser Lys
 420 425 430

aac aag aca aaa cgc aaa tac tct gat gtt gta gat gat gga tca tca 2001
 Asn Lys Thr Lys Arg Lys Tyr Ser Asp Val Val Asp Asp Gly Ser Ser
 435 440 445

cit atg aac tgg ctg aat gga aaa aag aaa aga act gga agt gtg cat 2049
 Leu Met Asn Trp Leu Asn Gly Lys Lys Lys Arg Thr Gly Ser Val His
 450 455 460 465

cac aca gtt gct cat cca gct ggg aat ttg agc aac aaa aaa gtg aca 2097
 His Thr Val Ala His Pro Ala Gly Asn Leu Ser Asn Lys Lys Val Thr
 470 475 480

ccc act gcg agt act cag cat gat gat gag aat gat act gaa aat ggt 2145
 Pro Thr Ala Ser Thr Gln His Asp Asp Glu Asn Asp Thr Glu Asn Gly
 485 490 495

ctt gac aca aat atg cat aag aca gat gtc tgt cag cat gta tca gaa 2193

Leu Asp Thr Asn Met His Lys Thr Asp Val Cys Gln His Val Ser Glu

500

505

510

atc tcc aca cag agg tgc tca tca aag ggg aaa aca gcg ggt ttg agt 2241

Ile Ser Thr Gln Arg Cys Ser Ser Lys Gly Lys Thr Ala Gly Leu Ser

515

520

525

aag ggg aaa aca cat tca gct gct agt acc aaa tat ggt ggt gaa agc 2289

Lys Gly Lys Thr His Ser Ala Ala Ser Thr Lys Tyr Gly Gly Glu Ser

530

535

540

545

acc aga aat ggt cag aac ata cat gta ctg agc gca gaa gat caa tgc 2337

Thr Arg Asn Gly Gln Asn Ile His Val Leu Ser Ala Glu Asp Gln Cys

550

555

560

cag atg gaa acc gaa aac tct gtt ctg agt cac tcg gca aag gtt tct 2385

Gln Met Glu Thr Glu Asn Ser Val Leu Ser His Ser Ala Lys Val Ser

565

570

575

cca gct gag cat gat atc caa att atg tct gac ctt cat gag cag agt 2433

Pro Ala Glu His Asp Ile Gln Ile Met Ser Asp Leu His Glu Gln Ser

580

585

590

cta ccc aag aag aaa aag aag caa aaa ctt gaa gtg act cgt gaa aaa 2481

Leu Pro Lys Lys Lys Lys Lys Gln Lys Leu Glu Val Thr Arg Glu Lys

595

600

605

cag acc atg ata gat gac atc ccc atg gat att gtt gaa ctg cta gct 2529

Gln Thr Met Ile Asp Asp Ile Pro Met Asp Ile Val Glu Leu Leu Ala
 610 615 620 625

aaa aac cag cat gag agg cag ctt atg act gag act gat tgt tct gac 2577
 Lys Asn Gln His Glu Arg Gln Leu Met Thr Glu Thr Asp Cys Ser Asp
 630 635 640

atc aac cgt att caa tcc aag aca act gct gat gat gat tgt gta ata 2625
 Ile Asn Arg Ile Gln Ser Lys Thr Thr Ala Asp Asp Asp Cys Val Ile
 645 650 655

gta gct gcc aag gat ggt tca gat tat gca tca agt gtg ttt gac act 2673
 Val Ala Ala Lys Asp Gly Ser Asp Tyr Ala Ser Ser Val Phe Asp Thr
 660 665 670

aat tcc caa cag aag tcc ttg gca tcc caa agt aca cag aag gag tta 2721
 Asn Ser Gln Gln Lys Ser Leu Ala Ser Gln Ser Thr Gln Lys Glu Leu
 675 680 685

cag ggt cat ttg gca ttg acc aca caa gag tct cca cat cct cag aac 2769
 Gln Gly His Leu Ala Leu Thr Thr Gln Glu Ser Pro His Pro Gln Asn
 690 695 700 705

ttt cag tct act cag gaa cag cag aca cat ttg cgg atg gaa gaa atg 2817
 Phe Gln Ser Thr Gln Glu Gln Gln Thr His Leu Arg Met Glu Glu Met
 710 715 720

gtc act att gct gca agc tca cca cta ttt tca cat cat gat gat cag 2865
 Val Thr Ile Ala Ala Ser Ser Pro Leu Phe Ser His His Asp Asp Gln

725

730

735

tat att gct gaa gca cca act gaa cat tgg ggc cgt aag gac gca aag 2913

Tyr Ile Ala Glu Ala Pro Thr Glu His Trp Gly Arg Lys Asp Ala Lys

740

745

750

aag cta acg tgg gag caa ttt aag gcc act aca aga aat tct cca gca 2961

Lys Leu Thr Trp Glu Gln Phe Lys Ala Thr Thr Arg Asn Ser Pro Ala

755

760

765

gca aca tgt ggt gct caa ttt aga cct ggt atc caa gca gtt gac ttg 3009

Ala Thr Cys Gly Ala Gln Phe Arg Pro Gly Ile Gln Ala Val Asp Leu

770

775

780

785

act tct act cat gtc atg gga tct tcc agc aat tat gca tct cgc caa 3057

Thr Ser Thr His Val Met Gly Ser Ser Ser Asn Tyr Ala Ser Arg Gln

790

795

800

cca gta att gcg cca ctg gac cgc tat gct gaa aga gcg gtt aac cag 3105

Pro Val Ile Ala Pro Leu Asp Arg Tyr Ala Glu Arg Ala Val Asn Gln

805

810

815

gtc cat gca aga aat ttt cca agc aca ata gca acc atg gaa gcg agt 3153

Val His Ala Arg Asn Phe Pro Ser Thr Ile Ala Thr Met Glu Ala Ser

820

825

830

aag tta tgt gat cgg aga aat gct gga caa gta gtc ttg tat cct aaa 3201

Lys Leu Cys Asp Arg Arg Asn Ala Gly Gln Val Val Leu Tyr Pro Lys

835

840

845

gaa tcc atg cct gcg acg cat ctt ctg aga atg atg gat cca tca aca 3249
 Glu Ser Met Pro Ala Thr His Leu Leu Arg Met Met Asp Pro Ser Thr
 850 855 860 865

tta gca agc ttc ccc aac tat gga act tct agc agg aac cag atg gag 3297
 Leu Ala Ser Phe Pro Asn Tyr Gly Thr Ser Ser Arg Asn Gln Met Glu
 870 875 880

tct caa ctt cat aat tct cag tat gca cat aat cag tac aaa gga tca 3345
 Ser Gln Leu His Asn Ser Gln Tyr Ala His Asn Gln Tyr Lys Gly Ser
 885 890 895

acc agc aca tca tat ggc agt aac ctg aat gga aag att cca ttg aca 3393
 Thr Ser Thr Ser Tyr Gly Ser Asn Leu Asn Gly Lys Ile Pro Leu Thr
 900 905 910

ttc gaa gac tta tca cgg cat cag ctg cat gat ctg cac aga cct tta 3441
 Phe Glu Asp Leu Ser Arg His Gln Leu His Asp Leu His Arg Pro Leu
 915 920 925

cgc cca cat cct aga gtt ggt gtg ctt ggc tcc ttg ctg cag aag gaa 3489
 Arg Pro His Pro Arg Val Gly Val Leu Gly Ser Leu Leu Gln Lys Glu
 930 935 940 945

att gca aac tgg tcg gag aac tgt ggc aca caa tct ggt tat aag tta 3537
 Ile Ala Asn Trp Ser Glu Asn Cys Gly Thr Gln Ser Gly Tyr Lys Leu
 950 955 960

gga gtg tca aca gga ata aca tgc cat cag atg aac aga aag gaa cat 3585

Gly Val Ser Thr Gly Ile Thr Ser His Gln Met Asn Arg Lys Glu His

965

970

975

ttt gaa gcc ctg aat tct gga atg ttt tca gca aaa tgg aat gca ttg 3633

Phe Glu Ala Leu Asn Ser Gly Met Phe Ser Ala Lys Trp Asn Ala Leu

980

985

990

cag ttg ggt tct gtt agc tcc agt gca gat ttt tta tca gcg agg aac 3681

Gln Leu Gly Ser Val Ser Ser Ser Ala Asp Phe Leu Ser Ala Arg Asn

995

1000

1005

agc ata gct caa tct tgg acc aga ggc aag ggt aaa atg gtt cat ccc 3729

Ser Ile Ala Gln Ser Trp Thr Arg Gly Lys Gly Lys Met Val His Pro

1010

1015

1020

1025

ttg gat cgg ttt gtg aga cag gat atc tgt ata act aac aag aac cca 3777

Leu Asp Arg Phe Val Arg Gln Asp Ile Cys Ile Thr Asn Lys Asn Pro

1030

1035

1040

gct gat ttt act aca atc agt aac gat aac gag tat atg gat tac cgc 3825

Ala Asp Phe Thr Thr Ile Ser Asn Asp Asn Glu Tyr Met Asp Tyr Arg

1045

1050

1055

tga agcagaaagt gggtgcatata attcctgaac atttacaatc atacatttca 3878

tctttatggc gccaaatagt catactgttaa gaggagggct ttgctggatc tgctgttaagg 3938

cttcttgtaa gtgttggaatg ccccatcttc tggatgggaa cctgccagac agtgaacaag 3998

ggctttgcaa ggtgcagcat ccggtttttg ttttgccagt ccaagaaacg tcctcctgtt 4058

actttgtagt tgtactcata ctatgicgct tgtttgtaca aggagaaatg tgtaaccttg 4118

ttgaaaaaat gtctcccca ttttgtaatt accataagga ggtttatagt gtgtgagct 4178

gtgtgtgact gacggcgaga aatggttttg tcggtgttaa ggttgaaacg actagctctc 4238

gttatcaatg tgttgtaaac ttctagattg atgtgttacc ttactcttga agtcaacacc 4298

ggagaattta ca 4310

<210> 2

<211> 1057

<212> PRT

<213> Oryza sativa

<400> 2

Met Glu Ile Val Ala Val Asp Gln Glu Gly Ala Arg Val Val Gly Thr

1

5

10

15

Asn Cys Met Leu Ala Arg Gly Gly Thr Gly Ala Val Ala Pro Val Leu

20

25

30

Glu Leu Thr Ala Thr Pro Arg Gln Asp Ala Ala Ala Glu Ala Gly Val

35

40

45

Asp Glu Pro Ala Gln His Gln Cys Glu His Phe Ser Ile Arg Gly Tyr

50

55

60

Val	Ala	Leu	Leu	Gln	Lys	Lys	Asp	Pro	Lys	Phe	Cys	Ser	Leu	Ser	Arg
65					70					75					80
Ile	Phe	His	Asp	Gln	Lys	Lys	Cys	Asp	Glu	His	Lys	Ala	Ser	Ser	Ser
				85					90					95	
Pro	Phe	Ser	Val	Ala	Lys	Phe	Arg	Arg	Trp	Asp	Cys	Ser	Lys	Cys	Leu
			100					105					110		
Asp	Lys	Leu	Lys	Thr	Ser	Asp	Asn	Gly	Thr	Ala	Pro	Arg	Thr	Leu	Pro
	115						120					125			
Ala	Lys	Gln	Asn	Gly	Thr	Ser	Asp	Gly	Cys	Ser	Ile	Thr	Phe	Val	Arg
	130						135				140				
Ser	Thr	Phe	Val	Pro	Ala	Ser	Val	Gly	Ser	Gln	Lys	Val	Ser	Pro	Ser
145					150					155				160	
Thr	Gln	Ser	Ser	Gln	Gly	Lys	Asn	Ala	Asp	Arg	Ser	Thr	Leu	Pro	Lys
				165					170				175		
Ser	Val	Gln	Glu	Gly	Asn	Asp	Ser	Lys	Cys	Asn	Ala	Pro	Ser	Gly	Lys
		180						185					190		
Asn	Gly	Ala	Ala	Glu	Ala	Asn	Thr	Asp	Ser	Pro	Met	Lys	Asp	Leu	Gln
	195						200					205			
Gly	Pro	Ala	Gln	Asn	Tyr	Asp	Val	Ala	Ala	Asn	Val	Ser	Glu	Asp	Asn
	210						215				220				
Thr	Ser	Val	Asp	Val	Gly	Ala	Leu	Pro	Glu	Val	Pro	Gln	Ile	Thr	Trp
225					230					235				240	
-His	Ile	Glu	Val	Asn	Gly	Ala	Asp	Gln	Pro	Pro	Ser	Thr	Pro	Lys	Leu
				245					250				255		
Ser	Glu	Val	Val	Leu	Lys	Arg	Asn	Glu	Asp	Glu	Asn	Gly	Lys	Thr	Glu
		260						265				270			
Glu	Thr	Leu	Val	Ala	Glu	Gln	Cys	Asn	Leu	Thr	Lys	Asp	Pro	Asn	Pro
	275							280				285			
Met	Ser	Gly	Lys	Glu	Arg	Asp	Gln	Val	Ala	Glu	Gln	Cys	Asn	Leu	Thr

290	295	300
Lys Asp Pro Lys Pro Val Ser Gly Gln Lys Cys Glu Gln Ile Cys Asn		
305	310	315
Glu Pro Cys Glu Glu Val Val Leu Lys Arg Ser Ser Lys Ser Lys Arg		320
325	330	335
Lys Thr Asp Lys Lys Leu Met Lys Lys Gln Gln His Ser Lys Lys Arg		
340	345	350
Thr Ala Gln Ala Asp Val Ser Asp Ala Lys Leu Cys Arg Arg Lys Pro		
355	360	365
Lys Lys Val Arg Leu Leu Ser Glu Ile Ile Asn Ala Asn Gln Val Glu		
370	375	380
Asp Ser Arg Ser Asp Glu Val His Arg Glu Asn Ala Ala Asp Pro Cys		
385	390	395
Glu Asp Asp Arg Ser Thr Ile Pro Val Pro Met Glu Val Ser Met Asp		400
405	410	415
Ile Pro Val Ser Asn His Thr Val Gly Glu Asp Gly Leu Lys Ser Ser		
420	425	430
Lys Asn Lys Thr Lys Arg Lys Tyr Ser Asp Val Val Asp Asp Gly Ser		
435	440	445
Ser Leu Met Asn Trp Leu Asn Gly Lys Lys Lys Arg Thr Gly Ser Val		
450	455	460
His His Thr Val Ala His Pro Ala Gly Asn Leu Ser Asn Lys Lys Val		
465	470	475
Thr Pro Thr Ala Ser Thr Gln His Asp Asp Glu Asn Asp Thr Glu Asn		480
485	490	495
Gly Leu Asp Thr Asn Met His Lys Thr Asp Val Cys Gln His Val Ser		
500	505	510
Glu Ile Ser Thr Gln Arg Cys Ser Ser Lys Gly Lys Thr Ala Gly Leu		
515	520	525

Ser Lys Gly Lys Thr His Ser Ala Ala Ser Thr Lys Tyr Gly Gly Glu
 530 535 540
 Ser Thr Arg Asn Gly Gln Asn Ile His Val Leu Ser Ala Glu Asp Gln
 545 550 555 560
 Cys Gln Met Glu Thr Glu Asn Ser Val Leu Ser His Ser Ala Lys Val
 565 570 575
 Ser Pro Ala Glu His Asp Ile Gln Ile Met Ser Asp Leu His Glu Gln
 580 585 590
 Ser Leu Pro Lys Lys Lys Lys Lys Gln Lys Leu Glu Val Thr Arg Glu
 595 600 605
 Lys Gln Thr Met Ile Asp Asp Ile Pro Met Asp Ile Val Glu Leu Leu
 610 615 620
 Ala Lys Asn Gln His Glu Arg Gln Leu Met Thr Glu Thr Asp Cys Ser
 625 630 635 640
 Asp Ile Asn Arg Ile Gln Ser Lys Thr Thr Ala Asp Asp Asp Cys Val
 645 650 655
 Ile Val Ala Ala Lys Asp Gly Ser Asp Tyr Ala Ser Ser Val Phe Asp
 660 665 670
 Thr Asn Ser Gln Gln Lys Ser Leu Ala Ser Gln Ser Thr Gln Lys Glu
 675 680 685
 Leu Gln Gly His Leu Ala Leu Thr Thr Gln Glu Ser Pro His Pro Gln
 690 695 700
 Asn Phe Gln Ser Thr Gln Glu Gln Gln Thr His Leu Arg Met Glu Glu
 705 710 715 720
 Met Val Thr Ile Ala Ala Ser Ser Pro Leu Phe Ser His His Asp Asp
 725 730 735
 Gln Tyr Ile Ala Glu Ala Pro Thr Glu His Trp Gly Arg Lys Asp Ala
 740 745 750
 Lys Lys Leu Thr Trp Glu Gln Phe Lys Ala Thr Thr Arg Asn Ser Pro

755	760	765
Ala Ala Thr Cys Gly Ala Gln Phe Arg Pro Gly Ile Gln Ala Val Asp		
770	775	780
Leu Thr Ser Thr His Val Met Gly Ser Ser Ser Asn Tyr Ala Ser Arg		
785	790	795
Gln Pro Val Ile Ala Pro Leu Asp Arg Tyr Ala Glu Arg Ala Val Asn		
805	810	815
Gln Val His Ala Arg Asn Phe Pro Ser Thr Ile Ala Thr Met Glu Ala		
820	825	830
Ser Lys Leu Cys Asp Arg Arg Asn Ala Gly Gln Val Val Leu Tyr Pro		
835	840	845
Lys Glu Ser Met Pro Ala Thr His Leu Leu Arg Met Met Asp Pro Ser		
850	855	860
Thr Leu Ala Ser Phe Pro Asn Tyr Gly Thr Ser Ser Arg Asn Gln Met		
865	870	875
Glu Ser Gln Leu His Asn Ser Gln Tyr Ala His Asn Gln Tyr Lys Gly		
885	890	895
Ser Thr Ser Thr Ser Tyr Gly Ser Asn Leu Asn Gly Lys Ile Pro Leu		
900	905	910
Thr Phe Glu Asp Leu Ser Arg His Gln Leu His Asp Leu His Arg Pro		
915	920	925
Leu Arg Pro His Pro Arg Val Gly Val Leu Gly Ser Leu Leu Gln Lys		
930	935	940
Glu Ile Ala Asn Trp Ser Glu Asn Cys Gly Thr Gln Ser Gly Tyr Lys		
945	950	955
Leu Gly Val Ser Thr Gly Ile Thr Ser His Gln Met Asn Arg Lys Glu		
965	970	975
His Phe Glu Ala Leu Asn Ser Gly Met Phe Ser Ala Lys Trp Asn Ala		
980	985	990

Leu Gln Leu Gly Ser Val Ser Ser Ser Ala Asp Phe Leu Ser Ala Arg

995

1000

1005

Asn Ser Ile Ala Gln Ser Trp Thr Arg Gly Lys Gly Lys Met Val His

1010

1015

1020

Pro Leu Asp Arg Phe Val Arg Gln Asp Ile Cys Ile Thr Asn Lys Asn

1025

1030

1035

1040

Pro Ala Asp Phe Thr Thr Ile Ser Asn Asp Asn Glu Tyr Met Asp Tyr

1045

1050

1055

Arg

<210> 3

<211> 9455

<212> DNA

<213> *Oryza sativa*

<400> 3

gatctatcgt tgattggatt tcgctgggct agctaggttag acaagggttc aaaatgtgac 60

gaacattatt gagctaataa ataacgagaa accaacttgg tatataggtc aatttcaaaa 120

gaaacaagct gacaaaattc gtccaatttc actagttttt gtcagtaatt gaatggcaat 180

catggttatc gacaaaaccg cttaggagtg ctatttgggtg atggaatggt ttataaaaact 240

ttggaccgga gtagcagtac aatggcttgt ctgaacaggc taggtagcat agtaggtcct 300

tttgccttgg ttgcactgtt ctgtcggctt ataggggaat ctattggctt aatggaaggg 360

aaaatagtgt gactagcatc atcgatttgc ttgctatcat gtttgagcat cattgacatg 420

tgggtgtcga tctaggagac tatgaatcta gcgaatccic actagtatgc acatgcacaa 480

cgacatcatg cagctatatg tacaacaatg taggaatggt agctctactic ggatttggtg 540

ccgcattcct acattgctag aaaaacacaa acacacacac acacacacac aaacaaacat 600

aggacgctgc aacacctctt ccctggctac cactatcgcc aaatgccaag catggttgtg 660

ttgacctccc tccitagtctg ccactgtgtc cacttcaaaa tccataacca cgacatcttc 720
 ccttcttcta caatigttaac tactgttctt gaagagggtc ttgtccctacc gacttactaa 780
 agaccaacca ttggtcagca gagcatctcg agacttctat accaaagtaa cattgagagg 840
 tcaatggcat gtaggacat cactccgttt gcattgacca atcagagaig agtctgaaca 900
 atttcaaccc gtaaaaacgg tccacaattt gattcatcta ttggtttgct gtctgcccac 960
 ggccctgcat ctigtatgtt tatgatcttt cttagttatc tcttgagatt taatctacct 1020
 aatttgttca ttttaatcct ttgatttate ttgattggat tgggtctact ttggtttcac 1080
 catcttagcc ccgataigat ctggtagcc ctttttctc cgcactaatc atttctgatt 1140
 ctgactcca atctaagtic ccatggtaga tttagggtcaa taagtgaana acaatttccc 1200
 ttacaattta atcccccttt gagtaatgac ctctgtactt cctcaaacga tggtttcatg 1260
 gataaagatt tgatatattgt ggcgacacga tggggcatgg cttatgaaga aaatgagctc 1320
 attggattgg tattttctcc tccatgtccc tatgggtaaa aatattgggt tagttggata 1380
 gtcaggtag aacgggattt aaaaatgtga ctacaactag tcttttatcg cggttgcaca 1440
 tgggtgtcaa cgggtgactg cctgtgttgg catcaataat ttagaattag aggtgtcggc 1500
 ttaatgtctg tagattgtgg atatctccc atacacgtag gcgtcgatgg ctcatgtgc 1560
 gtacgtgccg tcttgcatac gatgggttag aacggaggaa ggctggcttt gtgacttgt 1620
 agcctcacta aggccaactg cctattggca atgaagtgtt tttgttttaa ggagaaacaa 1680
 acttttgagc taggcaacat cggtagtag caggccattc tctagggtcaa tggcacttag 1740
 agtcggagca tgccggccgt gcctattaca acatgggtat catgtgcatg tggcaagggc 1800
 acacattaca cgtccccatt gctaacatc gtagactatg agtttgatag aagaaaccca 1860
 actgaaaggt cagtgtcaaa tccattctac ctgtgtcgag aactaagggt aagcgtttta 1920
 tatagattag gacactcaca tacatatgtc gtgcatgggg tggtagagagc cattatgtac 1980
 cactagtac atgtgtctac ctagttatat gatctattga ttgaaaattc gactgagata 2040
 agaataacta tgtggtatat ttaacttgggt acaacatata gtggttggaa catcacatta 2100
 gacatgccctt ggcaggaaga aagccgctgt agtttaattt aacatgttaa acaccacata 2160
 gtgagtaatc aatctaggct taaaaaaaaa aaagacaaca caaacaacaa cagagaacac 2220
 ataaacacag agggggcaat caactctgtt gtttgatcta tacttctgca gattttgata 2280
 tatctctgct ctctgcatit taaaactact tatattacaa agcactgtat gttatatagt 2340
 aatactttgt agatcacgag tataaaacac agataggtac aatttttttt actcctacgt 2400

atttacgtat taaccggtac aatattatit agcatgcatg tacgcgtgat attagagtg 2460
 agtatactac ctacgcatgc tgggagcagta tgggtacctc tataacctacc tatatacaca 2520
 taccaggttag agtacagcgg caggttagagt acacagtagt atatggagct tatittiatca 2580
 tttttattac tggagataga agaagaagag aaaggagaga gagagagaaa gagtgggaagg 2640
 gaaaggcgig cggggcccac acacgcagca gggcagcgct gcggaggtga ggtgagggca 2700
 ggggcagggg cagggcggac tggccaacgc caactccaac tccaaccccc gtacaaataa 2760
 aatatacaat cttttctttt tcttctctct cttttccctt ccatccacc cccctctctc 2820
 tcttctctcc acitcaaatc cttcttacc ctattccctt cccccgcag cttctcttcc 2880
 tcttgcagta ctgcgcgcca ccaccaccgc gccgcgcgcg ccggccgcgt tccgagacct 2940
 actcgatcgg aatccaccgc ggcgcgcccc cgcgccctgcg tcttcttctt tccccgggag 3000
 ccgaccgacc acggcgacca gtcgatctcc ctctccgggc gccaacgcg tcttagcttc 3060
 atcgaatcca ccgccccacc ccgcatctcc tcttctctct ccgacgacga cgactactac 3120
 tagtcttctc caataagccc ccttcccgct cccccgcct gaagaagaag cagcagctag 3180
 ctccggggag aggtcgacgg cgcgccgggt agatcgcgcc ccgccccgcc tgcgtcgcg 3240
 ctgtcggagc aaacgcaaac cccccaggta atcaacgaac ttttcttccg ccgcaagaac 3300
 agctcccgcg gggggtttgg ttttgaccga tttcttcccc cttcccccca aatcgacca 3360
 tccaatttcg cctcgattta ctccgattt cccactttt ttttcttctt ttcgggttgg 3420
 ggggttgcgg ttttggggga ggagaggggt tcagctcacc cgaagcccca cgttaggtcc 3480
 gcccccttc cagctgtgcc cctctctcgg gccctcgagct cctcgccctc atgggaacca 3540
 aagcccttat attcatgtc gcggaagaaa aaaaaatccc gtcttttgcg gggatcctcg 3600
 cggctacgta cgagccctag ttaccgcgcg gattttagtt acggcggttt atgcggcccc 3660
 tccctctagg ttttagatct acccatctct ctctctctct ctctctctct ctctgtgcat 3720
 gcatgtgtct atcttagcta tactgttatt atttgggaagg ttaattatgg ttgtgtatat 3780
 gtggcgcggt aattaattag ttaatttcgc accccctctc tctttgttta tctaggtttt 3840
 gggggaattt atttcttgc taaattttgc ccgtcgaat ttctgggtgt ctatatttc 3900
 atgagctgat tgaagtggat atatatgtg cgtgcgtgcg tgctattgtt acatcggttt 3960
 gacttcttct tgcctactac ttcatlaatt ttttcttctt ggtttctgtt tcaggttgtt 4020
 ctacgctgtg cagcggttag ctgattgatt gtcttctgtg atatatccag agctcgtgtt 4080
 ttgtggtttg tggtttgtgg tttgtgcttg gatgttgat gtgctaattc gcggcgttac 4140

aagatcacig ciggattgat atigagttgt gcctcggctg tgctagctgt gtgttgattc 4200
tctcctcgtc giggigatcg atatggagat tgttgcagta gatcaggagg gagctcgtgt 4260
tgttgggacg aactgtatgc ttgctcgtgg tggaactggt gctgtagcgc cagtgttggg 4320
gctgacagcg acgctcgtc aggatgcagc cgctgaagct ggtgtagacg aaccggcaca 4380
acaccaatgc gagcatttct ccataaggta atcattttct gtatttccaa ticcagtatc 4440
gcgtttgtga tgaataatga atcggcatgt catgccatat tgcactgttt gatggaagag 4500
tatgattgat cgtggttttt gcacagtttg ctgttgggac ttatatggtc atctgttttg 4560
tacgatcgta tacactgggt cgacatgctt atgacttttg ttcgatttag gaagtcaata 4620
catccactac tagctctata tctagccatg tgaactcatt tatgccatag cacagctagc 4680
aggctagcag caaaaaatat atataatatt tgcataatg ttggtgtttc atgtatcttt 4740
atactctacg tacatccatt aatatcttca atgtatgaat ctgagcacat gatgtgagt 4800
gctacacata tgcattgtctg tatgtgtgtt cattagggtg ttgatcatat ttgtttgtgt 4860
tgggggtgcgc atgcatttat tcaggccatg ctgtaggctg tagctagata ttigtgtttg 4920
tatattttt ctgttgaaca agctgattac taatgaaatt aacctttttg gggtacactc 4980
atataatggg ccttacattt ttgtaatcat ttttctttg tgctgagggt cagcataaaa 5040
cttttttctc ataagcatgt ttacatctta ggagattctt agaactgatg gtttcttcat 5100
atttgcatta tgtttgattt gatagttcat tattatttta agccttttca attgtttaga 5160
gattctagag atgatatata tcaaccatag acttgtcagc ttttggttta atactttcta 5220
gaactaatta gattattatt ttgtagttt atcctgtcat gctatttgta ttatctttga 5280
attcaaactg caatacttag attatcttga aggtctctt tttctggact gtacaagcta 5340
tgtatgaaat gcctacctcc cagcatcctt tagattatgt agggcctttt ctgagtttat 5400
cagttgtata ttgactgaag cagcgaatgt gctatatata tgtgccaatgc atctttataa 5460
tgataatctt atttttcttg taccagaggg tatgttgcic ttcttcagaa gaaggatcca 5520
aaattctgtc ctctatctcg gattttccat gaccagaaaa aatgtgatga acacaaagct 5580
agtccaagcc cattttctgt agcaaagttt cgacgatggg attgtctgaa gtgcttggat 5640
aagtigaaaa cticagataa tggaacagca ccaagaactc tccccgaaa gcagaatggc 5700
acaagtgatg gttgttccat cacatttggt cggagcactt ttgtgcctgc tagtgttggg 5760
tcccaaaaag tgtctcctag cacacaatca tctcaaggga agaattgtga tagatcaact 5820
cttccaaaga gtgtgcaaga aggcaatgac tccaaatgca atgcgccttc tggcaagaat 5880

ggagctgctg aggccaatac tgattcacca atgaaaggta tggtagatgt agagcccttc 5940
 aaattccctaa gtaggatttt atttaaggta tagaataaac taatgtttgt gtgattttct 6000
 cagatttgca agggccagcc caaaattatg atgtggcagc aaatgtctct gaggacaaca 6060
 ctctgttga tgttggggct ttacctgaag ttccccagat tacatggcac atagaagtaa 6120
 atggcgcaga tcaacctcca tccactccaa aactttctga agtggcctc aaaagaaatg 6180
 aagatgaaaa tggaaaaact gaagagactc ttgttgctga gcagtgcaat ttgaccaaag 6240
 atcciaaccc aatgtctgga aaggaacgtg atcaggttgc tgagcagtc aattigacca 6300
 aagatccgaa accagtgtct gggcagaaat gtgagcagat ctgcaatgag ccatgtgaag 6360
 aagtgttct caaaagaagc tccaaatcta agaggaagac ggataagaag ttgatgaaga 6420
 agcagcagca cagcaagaaa cgcactgccc aggttgatgt ttcatgtca aagctttgtc 6480
 ggagaaaagcc aaaaaagggtg cggttcttat cagaaattat aaatgctaac caggttgagg 6540
 attctagaag tgacgaagtt catctgaaa atgccgtga tccctgtgag gatgatagaa 6600
 glaccatccc ggtcccgaat gaagtaagca tggatatcc tgttagcaac catacagtgg 6660
 gagaagaagg gttaaaatca agtaagaaca agacaaaacg caaatactct gatgtttag 6720
 atgatggatc atcacttatg aactggctga atggaaaaaa gaaaagaact ggaagtgtgc 6780
 atcacacagt tgctcatcca gctgggaatt tgagcaacaa aaaagtgaca cccactgcga 6840
 glactcagca tgatgatgag aatgatactg aaaatggctt tgacacaaat atgcataaga 6900
 cagatgtctg tcagcatgta tcagaaatct ccacacagag gtgctcatca aaggggaaaa 6960
 cagcgggttt gagtaagggg aaaacacatt cagctgctag taccaaatai ggtggtgaaa 7020
 gcaccagaaa tggtcagaac atacatgtac tcagcgcaga agatcaatgc cagatggaaa 7080
 ccgaaaactc tgttctgagt cactcggcaa aggtacgaat tttgtgaatc atgaggaatt 7140
 ttgtcttttt aaattgactg aatcaacatt tatctgtatg aaggaataat attggtgcat 7200
 - aacaatgta agaaatatgc atacaatgtt tatttatatg ctttccactg ttcttcttta 7260
 ctatgttttt gatactcttt ttgtgtgtgc gtgcatgtgt gcatgtgtgt gtgtgtgtgt 7320
 gtgtgcgcgc gtgtgtgtgc acgtgcgtgg cgcaatatc ttttttagac tcatattata 7380
 gtgattgtaa tggactgaca ttttctcat ttctcatctc aggtttctcc agctgagcat 7440
 gatatccaaa ttatgtctga cttcatgag cagagctac ccaagaagaa aaagaagcaa 7500
 aaacttgaag tgactcgtga aaaacagacc atgatagatg acatcccat ggatattgtt 7560
 gaactgctag ctaaaaacca gcatgagagg cagcttatga ctgagactga ttgttctgac 7620

atcaaccgta ttcaatccaa gacaacigct gatgatgatt gtgtaatagt agctgccaaag 7680
 gatggttcag attatgcate aagigigtii gacactaatt cccaacagaa giccttggca 7740
 tcccaaagta cacagaagga gtiacagggt catttggcat tgaccacaca agagicticca 7800
 catcctcaga actttcagtc tactcaggaa cagcagacac atttgcggat ggaagaaaatg 7860
 gtcactattg ctgcaagctc accactatit tcacatcatg atgatcagta tattgctgaa 7920
 gcaccaactg aacattgggg ccgtaaggac gcaaagaagc taacgtggga gcaatttaag 7980
 gccactacaa gaaattctcc agcagcaaca tgttggtgctc aatttagacc tggtaacca 8040
 gcagttgact tgacttctac tcatgicatt ggatcttcca gcaattatgc atctcgccaa 8100
 ccagtaattg cgccactgga ccgctatgct gaaagagcgg ttaaccaggi ccatgcaaga 8160
 aattttccaa gcacaatagc aaccatggaa gcgagtaagt tatgigatcg gagaaatgct 8220
 ggacaagtag tcttgtatcc taaagaatcc atgcctgcga cgcatcttct gagaatgatg 8280
 gatccatcaa cattagcaag ctcccccaac tatggaactt ctagcaggaa ccagatggag 8340
 tctcaacttc ataattctca gtaatgcacat aatcagtaca aaggatcaac cagcacatca 8400
 tatggcagta acctgaatgg aaagattcca ttgacattcg aagacttatt acggcatcag 8460
 ctgcatgac tgccacagacc tttagccca catcctagag ttggtgtgct tggctccttg 8520
 ctgcagaagg aaattgcaaa ctggtcggag aactgtggca cacaatctgg ttataagtta 8580
 ggagtgtcaa caggaataac atcgcatcag atgaacagaa aggaacatit tgaagccctg 8640
 aattctggaa tgttttcagc aaaaatggaat gcattgcagt tgggttctgt tagctccagt 8700
 gcagattttt tatcagcgag gaacagcata gctcaatctt ggaccagagg caagggtaaa 8760
 atggttcatt ccttggatcg gtttgtgaga caggatatct gtataactaa caagaacca 8820
 gctgatttta ctacaatcag taacgataac gagtatatgg attaccgctg aagcagaaag 8880
 tgggtgtgat aattcctgaa catttacaat catacatttc atctttatgg cgccaaatag 8940
 tcatactgta agaggagggc ttgtctggat ctgctgtaag gtaagttgaa cttttcttc 9000
 ttgcaagttt atcagtttaa gaaaaagaa tgattactta tgtagcaag gatggttctt 9060
 gcaggcttct tgtaagttgt ggatgcccc ttttctggat gggaacctgc cagacagtga 9120
 acaagggttt tgcaagggtc agcatccggt tttgttttg ccagtccaag aaacgtcttc 9180
 ctgttacttt gtagttgtac tcatactagt gcgttgttt gtacaaggag aaatgtgtaa 9240
 ccttgttgaa aaaatgtctc cccattttg taattacat aaggaggttt atagtgttgt 9300
 gagctgtgtg tgactgacgg cgagaaatgg tttgtctggt gtaaggttg aaacgactag 9360

ctctcggttat caatgigtg taaacttcta gattgatgtg ttaccttact ctggaagtca 9420
acaccggaga atttacagta cttttttgcc gtgcc 9455

[Brief Description of Drawings]

[Figure 1]

Photographs showing a brassinosteroid non-sensitive mutant having Tos17 inserted therein, which was found among regenerated Akitakomachi lineage, and a wild type rice plant body. On the left of each figure is shown a brassinosteroid non-sensitive mutant having Tos17 inserted therein. On the right of each figure is shown a wild type plant body. (A) evidences an influence toward dwarfism and upright form. (B) evidences an influence toward malformation of grain hulls.

[Figures 2]

Photographs showing a brassinosteroid non-sensitive mutant having Tos17 inserted therein, which was found among regenerated Nipponbare lineage, and a wild type rice plant body. On the left of each figure is shown a brassinosteroid non-sensitive mutant having Tos17 inserted therein. On the right of each figure is shown a wild type plant body. (A) evidences an influence toward dwarfism and upright form. (B) evidences an influence toward malformation of grain hulls.

[Figure 3A]

A Northern analysis autoradiogram of RNA

extracted from the leaves of a brassinosteroid non-sensitive mutant (Akitakomachi) and RNA extracted from various organs of a wild type rice plant (Nipponbare).

[Figure 3B]

A Northern analysis autoradiogram of RNA extracted from brassinosteroid non-sensitive mutants and RNA extracted from wild type rice plants. The left-hand side of Figure 3B shows a comparison between wild types and mutants obtained by using a 5' probe. The right-hand side of Figure 3B shows a comparison between wild types and mutants obtained by using a 3' probe.

[Figure 4]

An amino acid sequence of the novel rice gene which controls a physiological reaction system induced by brassinosteroid hormone, together with characteristic sequences found therein. Nuclear localization signals and an ATP/GTP binding motif can be observed.

[Figure 5A]

Comparison of results from a brassinosteroid leaf blade bending experimentation using a mutated line (A0369) derived from Akitakomachi. The left-hand side shows results of wild type plants, whereas the right-hand side shows results of mutants.

[Figure 5B]

Comparison of results from a brassinosteroid leaf blade bending experimentation using a mutated line (NC6148) derived from Nipponbare. The left-hand side shows results of wild type plants, whereas the right-

hand side shows results of mutants.

[Name of the Document] ABSTRACT

[Abstract]

[Problem] To provide a novel plant gene provided by Tos17.

[Means for Solving the Problem] A polynucleotide encoding a plant gene capable of controlling a signal transduction system for brassinosteroid hormone, comprising a polynucleotide encoding an amino acid sequence from Met at position 1 to Arg at position 1057 of SEQ ID NO: 3 in the SEQUENCE LISTING, or a polynucleotide encoding an amino acid sequence in which one or several amino acids are deleted, substituted or added to the amino acid sequence.

[Selected Figure] None